

nos doc L

DOCUMENT G

#10

Audit file /data/rdbms/audit/ora_5970.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 5970, image: oraclecrib

Thu Nov 19 18:56:15 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Nov 19 18:56:15 1998
ACTION : 'startup' AUDIT_TRAIL : none

Thu Nov 19 18:56:15 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_5991.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 5991, image: oraclecrib

Thu Nov 19 18:59:20 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Nov 19 18:59:20 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Nov 19 19:11:22 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_16543.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16543, image: oraclecib

Sun Nov 22 15:46:15 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:46:15 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:46:15 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:46:15 1998
ACTION : 'shutdown'

Sun Nov 22 15:46:19 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:46:20 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:46:20 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:47:59 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:48:00 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16246.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16246, image: oraclecrib

Sun Nov 22 14:48:09 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 14:48:13 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 14:48:13 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 14:48:45 1998
ACTION : 'shutdown'

Sun Nov 22 14:49:21 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 14:49:21 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_16594.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16594, image: oraclecrib

Sun Nov 22 15:51:46 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 15:52:00 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:52:00 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:52:03 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:52:03 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_16615.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16615, image: oraclecrib

Sun Nov 22 15:52:44 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:52:44 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:52:44 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:52:45 1998
ACTION : 'shutdown'

Sun Nov 22 15:52:49 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:52:49 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:52:49 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:54:22 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:54:23 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16648.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16648, image: oraclecrib

Sun Nov 22 15:57:36 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 15:57:53 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_16659.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16659, image: oraclecib

Sun Nov 22 15:59:17 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:59:17 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:59:17 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 15:59:20 1998
ACTION : 'shutdown'

Sun Nov 22 15:59:24 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 15:59:24 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 15:59:24 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:01:02 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:01:03 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16719.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16719, image: oraclecrib

Sun Nov 22 16:04:34 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:04:34 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:04:34 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:10:30 1998
ACTION : 'shutdown'

Sun Nov 22 16:10:34 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:10:34 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:10:34 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:12:12 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:12:13 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16719.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16719, image: oraclecrib

Sun Nov 22 16:04:34 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:04:34 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:04:34 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:10:30 1998
ACTION : 'shutdown'

Sun Nov 22 16:10:34 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:10:34 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:10:34 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:12:12 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:12:13 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16855.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16855, image: oraclecib

Sun Nov 22 16:14:15 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 16:14:22 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:14:22 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_16872.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 16872, image: oraclecrib

Sun Nov 22 16:15:29 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 16:15:35 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_16997.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 16997, image: oraclecrib

Sun Nov 22 16:37:32 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:37:32 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:37:32 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:41:10 1998
ACTION : 'shutdown'

Sun Nov 22 16:41:14 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:41:14 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:41:14 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:41:20 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:41:20 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_17073.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17073, image: oraclecrib

Sun Nov 22 16:45:12 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:45:13 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:45:13 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:48:50 1998
ACTION : 'shutdown'

Sun Nov 22 16:48:53 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:48:53 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:48:53 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:48:59 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 16:48:59 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_17109.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17109, image: oraclecrib

Sun Nov 22 16:49:32 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 16:49:37 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:49:37 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_17134.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 8
Unix process pid: 17134, image: oraclecib

Sun Nov 22 16:51:44 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17150.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17150, image: oracledb

Sun Nov 22 16:55:01 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 16:55:06 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:55:06 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 16:55:13 1998
ACTION : 'shutdown'

Sun Nov 22 16:55:21 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 16:55:21 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_17208.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17208, image: oraclecrib

Sun Nov 22 17:02:11 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17215.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17215, image: oraclecrib

Sun Nov 22 17:03:10 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17218.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17218, image: oraclecrib

Sun Nov 22 17:03:32 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17221.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17221, image: oraclecib

Sun Nov 22 17:04:07 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 17:04:12 1998
ACTION : 'shutdown'

Sun Nov 22 17:04:27 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 17:04:27 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 17:04:51 1998
ACTION : 'shutdown'

Sun Nov 22 17:05:31 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 17:05:31 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_17257.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17257, image: oraclecib

Sun Nov 22 17:05:58 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 17:06:02 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_17260.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17260, image: oraclecrib

Sun Nov 22 17:06:26 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 17:06:26 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 17:06:26 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 17:10:02 1998
ACTION : 'shutdown'

Sun Nov 22 17:10:05 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 17:10:05 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 17:10:05 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 17:10:13 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 17:10:14 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_17350.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17350, image: oraclecib

Sun Nov 22 17:19:08 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 17:19:18 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 17:19:18 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_17389.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 8
Unix process pid: 17389, image: oraclecrib

Sun Nov 22 18:06:03 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 18:06:06 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_17475.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 17475, image: oraclecrib

Sun Nov 22 18:09:44 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 18:09:48 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 18:09:48 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_17524.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17524, image: oraclecrib

Sun Nov 22 18:19:56 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17528.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17528, image: oracledb

Sun Nov 22 18:20:25 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17531.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17531, image: oraclecib

Sun Nov 22 18:21:04 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17534.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17534, image: oraclecrib

Sun Nov 22 18:21:56 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17547.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17547, image: oraclecrib

Sun Nov 22 18:26:53 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17599.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17599, image: oracledb

Sun Nov 22 18:42:07 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17636.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17636, image: oraclecib

Sun Nov 22 18:59:35 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17646.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17646, image: oracledb

Sun Nov 22 19:00:44 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17646.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17646, image: oracledb

Sun Nov 22 19:00:44 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17655.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17655, image: oraclecrib

Sun Nov 22 19:04:48 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17655.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17655, image: oraclecrib

Sun Nov 22 19:04:48 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17663.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17663, image: oraclecrib

Sun Nov 22 19:07:03 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_17667.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 17667, image: oraclecib

Sun Nov 22 19:07:55 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Audit file /data/rdbms/audit/ora_19015.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 19015, image: oracledb

Sun Nov 22 19:51:21 1998
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/2

Sun Nov 22 19:51:29 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19147.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19147, image: oracledb

Sun Nov 22 20:21:27 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:21:27 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:21:27 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:21:30 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19164.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19164, image: oracledb

Sun Nov 22 20:22:53 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:22:53 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:22:53 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:22:57 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19186.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19186, image: oraclecrib

Sun Nov 22 20:24:50 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:24:50 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:24:50 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:24:53 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19203.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19203, image: oraclecrib

Sun Nov 22 20:25:28 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:25:29 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:25:29 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:25:32 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19221.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19221, image: oraclecib

Sun Nov 22 20:26:25 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:26:25 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:26:25 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:26:28 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19241.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19241, image: oraclecib

Sun Nov 22 20:27:50 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:27:51 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:27:51 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:27:53 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19260.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19260, image: oraclecib

Sun Nov 22 20:29:58 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:29:58 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:29:58 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:30:01 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19279.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19279, image: oraclecrib

Sun Nov 22 20:31:09 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:31:09 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:31:09 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:31:12 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19295.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19295, image: oraclecrib

Sun Nov 22 20:31:45 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:31:45 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:31:45 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Sun Nov 22 20:34:37 1998
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_19340.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 19340, image: oraclecib

Sun Nov 22 20:36:58 1998
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Nov 22 20:36:58 1998
ACTION : 'startup' AUDIT_TRAIL : none

Sun Nov 22 20:36:58 1998
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_24370.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 24370, image: oraclecib

Sat Jan 9 16:18:33 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/5

Sat Jan 9 16:18:35 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Jan 9 16:18:35 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_11323.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 11323, image: oraclecrib

Thu Jan 14 17:42:10 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/10

Audit file /data/rdbms/audit/ora_11701.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 11701, image: oracledb

Thu Jan 14 18:25:22 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/10

Audit file /data/rdbms/audit/ora_26523.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: psmg
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 26523, image: oraclepsmg

Tue Jan 19 18:51:03 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_26531.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26531, image: oraclecrib

Tue Jan 19 18:51:04 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_26564.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26564, image: oracledb

Tue Jan 19 18:52:02 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_26590.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26590, image: oraclecib

Tue Jan 19 18:52:19 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:52:19 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_26592.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 26592, image: oraclecib

Tue Jan 19 18:52:21 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:52:22 1999
ACTION : 'startup' AUDIT_TRAIL : none

Tue Jan 19 18:52:22 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_26655.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26655, image: oraclecrib

Tue Jan 19 18:54:15 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_26683.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26683, image: oracledb

Tue Jan 19 18:54:43 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:54:43 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_26686.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 26686, image: oraclecrib

Tue Jan 19 18:54:45 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:54:45 1999
ACTION : 'startup' AUDIT_TRAIL : none

Tue Jan 19 18:54:45 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_26725.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26725, image: oracledb

Tue Jan 19 18:55:01 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:55:02 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_26752.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 26752, image: oracledb

Tue Jan 19 18:55:29 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 18:55:29 1999
ACTION : 'startup' AUDIT_TRAIL : none

Tue Jan 19 18:55:29 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_26880.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26880, image: oracledb

Tue Jan 19 19:25:43 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/14

Audit file /data/rdbms/audit/ora_26911.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26911, image: oraclecib

Tue Jan 19 19:28:08 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_26960.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 26960, image: oraclecib

Tue Jan 19 19:31:23 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/14

Audit file /data/rdbms/audit/ora_27058.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 27058, image: oraclecrib

Tue Jan 19 19:34:04 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 19:34:04 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_27060.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 27060, image: oracledb

Tue Jan 19 19:34:05 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jan 19 19:34:05 1999
ACTION : 'startup' AUDIT_TRAIL : none

Tue Jan 19 19:34:05 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_408.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 408, image: oraclecrib

Mon Feb 1 01:04:03 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Feb 1 01:04:04 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Feb 1 01:04:04 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_412.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 412, image: oraclecrib

Mon Mar 1 19:18:56 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 1 19:18:57 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 1 19:18:57 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_384.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 384, image: oraclecrib

Mon Mar 1 19:49:18 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 1 19:49:18 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_413.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 413, image: oraclecrib

Mon Mar 1 19:49:20 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 1 19:49:22 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 1 19:49:22 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_388.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 388, image: oraclecrib

Fri Feb 19 03:32:00 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Feb 19 03:32:00 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_398.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 398, image: oraclecrib

Fri Feb 19 03:32:02 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Feb 19 03:32:03 1999
ACTION : 'startup' AUDIT_TRAIL : none

Fri Feb 19 03:32:03 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_24005.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24005, image: oraclecrib

Thu Mar 11 17:55:03 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_24045.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24045, image: oraclecrib

Thu Mar 11 17:56:41 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_24093.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24093, image: oraclecrib

Thu Mar 11 17:57:58 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_24116.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24116, image: oraclecib

Thu Mar 11 17:59:05 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/3

Audit file /data/rdbms/audit/ora_24118.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24118, image: oraclecrib

Thu Mar 11 17:59:17 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/3

Audit file /data/rdbms/audit/ora_24187.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 24187, image: oraclecib

Thu Mar 11 18:03:46 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Mar 11 18:03:46 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_24189.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 24189, image: oraclecrib

Thu Mar 11 18:03:47 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Mar 11 18:03:47 1999
ACTION : 'startup' AUDIT_TRAIL : none

Thu Mar 11 18:03:47 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_27347.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 27347, image: oraclecib

Fri Mar 12 22:23:39 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_27379.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 27379, image: oraclecrib

Fri Mar 12 22:24:31 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_27418.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 27418, image: oraclecrib

Fri Mar 12 22:24:50 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Mar 12 22:24:50 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_27420.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 27420, image: oraclecib

Fri Mar 12 22:24:51 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Mar 12 22:24:51 1999
ACTION : 'startup' AUDIT_TRAIL : none

Fri Mar 12 22:24:51 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_3187.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3187, image: oraclecrib

Mon Mar 15 00:45:07 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Audit file /data/rdbms/audit/ora_3218.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3218, image: oraclecrib

Mon Mar 15 00:47:30 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_3252.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3252, image: oraclecrib

Mon Mar 15 00:48:54 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Audit file /data/rdbms/audit/ora_3265.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3265, image: oraclecrib

Mon Mar 15 00:50:02 1999
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 00:50:02 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 00:50:02 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_3276.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3276, image: oraclecib

Mon Mar 15 00:51:07 1999
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 00:51:07 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 00:51:07 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_3302.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3302, image: oraclecrib

Mon Mar 15 00:51:31 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_3304.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3304, image: oraclecrib

Mon Mar 15 00:51:43 1999
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 00:51:43 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 00:51:43 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_3306.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3306, image: oraclecrib

Mon Mar 15 00:51:54 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Mon Mar 15 00:52:12 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Audit file /data/rdbms/audit/ora_3322.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3322, image: oraclecrib

Mon Mar 15 00:52:25 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_3337.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3337, image: oraclecrib

Mon Mar 15 00:52:32 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Audit file /data/rdbms/audit/ora_3349.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3349, image: oraclecib

Mon Mar 15 00:53:28 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Mon Mar 15 00:53:49 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_3351.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 3351, image: oraclecrib

Mon Mar 15 00:53:58 1999
ACTION : 'connect INTERNAL' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 00:53:58 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 00:53:58 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Mon Mar 15 00:58:12 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_3392.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 3392, image: oraclecrib

Mon Mar 15 01:02:46 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/1

Mon Mar 15 01:02:48 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 01:02:48 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_3601.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 3601, image: oraclecrib

Mon Mar 15 01:52:35 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 01:52:37 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_3640.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 3640, image: oraclecib

Mon Mar 15 01:52:53 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon Mar 15 01:52:53 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 15 01:52:53 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_21975.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 21975, image: oraclecib

Mon Mar 22 03:22:18 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/4

Audit file /data/rdbms/audit/ora_21995.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 21995, image: oracledb

Mon Mar 22 03:24:11 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: pts/4

Mon Mar 22 03:24:15 1999
ACTION : 'shutdown'

Mon Mar 22 03:24:26 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon Mar 22 03:24:26 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_399.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 399, image: oraclecrib

Sat Apr 3 18:43:39 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Apr 3 18:43:39 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_414.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 414, image: oraclecrib

Sat Apr 3 18:53:47 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: .

Sat Apr 3 18:53:48 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Apr 3 18:53:48 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_416.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 416, image: oraclecrib

Sat Apr 3 19:08:41 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Apr 3 19:08:42 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Apr 3 19:08:42 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_390.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 390, image: oraclecib

Wed Apr 28 16:43:41 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Apr 28 16:43:41 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_424.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 424, image: oraclecrib

Sat Apr 3 18:43:42 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Apr 3 18:43:43 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Apr 3 18:43:43 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_417.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 417, image: oraclecrib

Wed Apr 28 16:43:43 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Apr 28 16:43:44 1999
ACTION : 'startup' AUDIT_TRAIL : none

Wed Apr 28 16:43:44 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_397.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 397, image: oraclecrib

Mon May 17 21:05:48 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Mon May 17 21:05:50 1999
ACTION : 'startup' AUDIT_TRAIL : none

Mon May 17 21:05:50 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_6661.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 6661, image: oraclecrib

Tue Jun 1 10:56:09 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jun 1 10:56:12 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_381.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 381, image: oraclecrib

Tue Jun 8 03:21:56 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jun 8 03:21:56 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_409.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 409, image: oraclecrib

Tue Jun 8 03:21:58 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Tue Jun 8 03:22:00 1999
ACTION : 'startup' AUDIT_TRAIL : none

Tue Jun 8 03:22:00 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_11354.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 11354, image: oracledb

Sun Jun 13 10:20:43 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Jun 13 10:20:45 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_379.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 379, image: oraclecrib

Sun Jun 13 10:24:42 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sun Jun 13 10:24:43 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sun Jun 13 10:24:43 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_15943.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 15943, image: oraclecrib

Wed Jul 14 16:58:40 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 16:58:43 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_756.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 756, image: oraclecrib

Wed Jul 14 17:09:06 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 17:09:08 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_764.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 764, image: oraclecib

Wed Jul 14 17:21:48 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 17:21:50 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_969.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 969, image: oraclecrib

Wed Jul 14 18:46:07 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 18:46:10 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_809.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 809, image: oraclecib

Wed Jul 14 19:00:11 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 19:00:14 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_850.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 850, image: oraclecrib

Wed Jul 14 20:00:53 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 20:00:56 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_376.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 376, image: oraclecrib

Wed Jul 14 20:03:41 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Wed Jul 14 20:03:42 1999
ACTION : 'startup' AUDIT_TRAIL : none

Wed Jul 14 20:03:42 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_2354.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 2354, image: oraclecrib

Thu Jul 15 09:22:04 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Jul 15 09:22:07 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_767.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 767, image: oraclecrib

Thu Jul 15 09:29:14 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Jul 15 09:29:17 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_383.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 383, image: oraclecrib

Thu Jul 15 09:32:17 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Jul 15 09:32:18 1999
ACTION : 'startup' AUDIT_TRAIL : none

Thu Jul 15 09:32:18 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_385.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 385, image: oraclecrib

Thu Jul 22 21:52:49 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Jul 22 21:52:50 1999
ACTION : 'startup' AUDIT_TRAIL : none

Thu Jul 22 21:52:50 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_389.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 389, image: oraclecrib

Thu Jul 22 22:12:42 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Thu Jul 22 22:12:43 1999
ACTION : 'startup' AUDIT_TRAIL : none

Thu Jul 22 22:12:43 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_362.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 362, image: oraclecrib

Fri Jul 23 07:33:15 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Jul 23 07:33:16 1999
ACTION : 'startup' AUDIT_TRAIL : none

Fri Jul 23 07:33:16 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_836.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 836, image: oraclecrib

Fri Jul 23 07:30:27 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Jul 23 07:30:29 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_364.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 364, image: oraclecrib

Fri Jul 23 19:23:48 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Jul 23 19:23:48 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_391.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 391, image: oraclecrib

Fri Jul 23 19:23:50 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Fri Jul 23 19:23:52 1999
ACTION : 'startup' AUDIT_TRAIL : none

Fri Jul 23 19:23:52 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_387.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 387, image: oraclecrib

Sat Jul 24 08:20:31 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Jul 24 08:20:31 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_402.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 402, image: oraclecrib

Sat Jul 24 08:20:34 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Jul 24 08:20:35 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Jul 24 08:20:35 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_1323.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 1323, image: oraclecrib

Sat Jul 24 10:12:02 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Jul 24 10:12:05 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_386.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 386, image: oraclecrib

Sat Jul 24 10:17:27 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Jul 24 10:17:28 1999
ACTION : 'startup' AUDIT_TRAIL : none

Sat Jul 24 10:17:28 1999
ACTION : 'startup' OS_AUTHENT_PREFIX : ops\$

Audit file /data/rdbms/audit/ora_900.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 1
Oracle process number: 0
Unix process pid: 900, image: oraclecrib

Sat Jul 24 11:21:59 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL:

Sat Jul 24 11:22:03 1999
ACTION : 'shutdown'

Audit file /data/rdbms/audit/ora_731.aud
Oracle8 Enterprise Edition Release 8.0.3.0.0 - Production
With the Partitioning and Objects options
PL/SQL Release 8.0.3.0.0 - Production
ORACLE_HOME = /data
System name: SunOS
Node name: matthew
Release: 5.6
Version: Generic_105181-07
Machine: sun4m
Instance name: crib
Redo thread mounted by this instance: 0 <none>
Oracle process number: 0
Unix process pid: 731, image: oraclecrib

Sat Jul 24 17:08:11 1999
ACTION : 'connect internal' OSPRIV : DBA
CLIENT USER: oracle
CLIENT TERMINAL: